


Boards supported on pedestals for a residential application

Top view



millboard®

Live.Life.Outside.

Drawing Title: Typical detail for Plas-Pro 50x50x2400mm with Self-Leveling Adjustable Pedestals - Top View Residential

Notes: Products must be laid on to a solid/stable base


Loadings: 2.5kN/m² for Residential applications 5kN/m² for Commercial applications

The Millboard Company Ltd
UK Head Office
Castle Court
Bodmin Road
Coventry CV2 5DB


T: +44 24 7643 9943
E: enquiries@millboard.co.uk
W: millboard.co.uk


Company Registered No.06061318
© The Millboard Company Ltd


End View



Side view




 <p>Live.Life.Outside.</p>	<p>Drawing Title: Typical detail for Plas-Pro 50x50x2400mm with Self-Leveling Adjustable Pedestals- Side and end views Residential</p> <p>Notes: Products must be laid on to a solid/stable base</p> <p>Loadings: 2.5kN/m² for Residential applications 5kN/m² for Commercial applications</p>	<p>The Millboard Company Ltd UK Head Office Castle Court Bodmin Road Coventry CV2 5DB</p>	<p>T: +44 24 7643 9943 E: enquiries@millboard.co.uk W: millboard.co.uk</p> <p>Company Registered No.06061318 © The Millboard Company Ltd</p>
---	--	---	--



Holes elongated on one side of splice to allow for expansion in Plas-Pro

Millboard Hexhead screw 6.3x90mm

10mm Gap



Plas-Pro 50x50mm splice piece

Pre-drill and slot hole, do not over tighten the screw

millboard®

Live.Life.Outside.

Drawing Title: Typical Jointing detail for when Plas-Pro is used with Pedestals

Notes: Products must be laid on to a solid/stable base

Loadings: 2.5kN/m² for Residential applications 5kN/m² for Commercial applications

The Millboard Company Ltd
UK Head Office
Castle Court
Bodmin Road
Coventry CV2 5DB

T: +44 24 7643 9943
E: enquiries@millboard.co.uk
W: millboard.co.uk

Company Registered No.06061318
© The Millboard Company Ltd